

2013 FORD F-650 EXT CAB CUMMINS / ALLISON JERR-DAN 2-CAR ROLLBACK LOW MILES

Our Price \$64,900

View this vehicle on our website at njtruckking.com

King of Cars and Trucks

856-693-3181

1229 Broadway, Westville, New Jersey 08093

Photos Details Contact



Specifications:

Year:	2013
VIN:	3FRWX6FCXDV799912
Make:	FORD F-650 EXT CAB CUMMINS
Model/Trim:	/ ALLISON JERR-DAN 2-CAR ROLLBACK LOW MILES
Condition:	Pre-Owned
Body:	Pickup Truck
Exterior:	White
Make: Model/Trim: Condition: Body:	FORD F-650 EXT CAB CUMMINS / ALLISON JERR-DAN 2-CAR ROLLBACK LOW MILES Pre-Owned Pickup Truck

Engine:	6.7L CUMMINS ISB I6 DIESEL ENGINE 240 HP @ 2300 RPM, 560 LB-FT TORQUE @ 1600 RPM
Interior:	Gray
Mileage:	86,459
Drivetrain:	Rear Wheel Drive

Vehicle Description

RARE ROLLBACK TOW TRUCK

2013 FORD F-650 EXTENDED CAB 2-CAR ROLLBACK

CUMMINS DIESEL / ALLISON TRANSMISSION

(ONLY 86,489 ORIGINAL / ACTUAL MILES)

EXTENDED CAB !

JERR-DAN STEEL 102" X 22' BED

AIR RIDE

AIR BRAKE

DUMP VALVE

ALCOAS

OWNERS MANUALS

LIKE NEW TIRES

RUST FREE TRUCK !

METICULOUSLY MAINTAINED

WHEEL LIFT !

POWER OPTIONS

RUNS AND DRIVES LIKE NEW AND TIGHT!

DUAL TOOL BOXES

THIS TRUCK IS IN EXCELLENT CONDITION !

READY TO WORK

RARE TRUCK WITH THE CUMMINS ALLISON TRANS / LOW MILES!

YOU WILL NOT FIND A NICER USED ROLLBACK ANYWHERE!

WILL NOT LAST !

BEST OF THE BEST

\$64,900

CALL / TEXT ROB 856-381-6621 WITH ANY QUESTIONS

Installed Options

Interior

- (2) passenger HD cloth seat -inc: 70% bench, folding intermediate back, integral outboard headrest, arm rest w/cupholders

- Black two-spoke 15.5" PVC steering wheel w/cruise control switches - Cruise control

- Driver high back HD cloth bucket seat -inc: 30% width, integral headrest, reclining back, arm rest, fixed track w/fore/aft adjust

- Dual vinyl covered sunvisors w/passenger mirror

UD aloth 60/40 full width roar banch line: flip up auchion

Option Packages

Factory Installed Packages

6.7L CUMMINS ISB I6 DIESEL ENGINE 240 HP @ 2300 RPM, 560 LB-FT TORQUE @ 1600 RPM -inc: 2600 RPM governed speed, 240 peak HP (max), Delco-Remy America Inc. 38MT type 300 starter, Borg Warner SA75 viscous screw fan

- הט כוטנדו סט/40 זעוד width real bench -inc. hip-up cushion
- Manual air conditioning -inc: integral heater & defroster Pwr door locks- Pwr windows
 (2) auxiliary pwr points
- (4) body builder switches -inc: mounted in center I/P, connector access in engine compartment, 10 amps per switch
- Air registers -inc: positive shut-off, chrome trim Black vinyl full floor covering
- Color-coordinated coat hooks (LH & RH)
- Color-coordinated door trim w/soft arm rest, grab handle, reflector, vinyl insert & map pocket w/carpet
- Color-coordinated instrument panel- Color-coordinated molded cloth headliner
- Color-coordinated scuff plates- Cup holder- Glove box
- Instrumentation -inc: speedometer, oil pressure, coolant temp, DEF gauge, fuel gauge, tachometer, indicator lights, trip odometer, distance-to-empty, average fuel economy, warning messages
- Interior A-pillar mounted grab handle Multifunction self canceling turn signal switch
- Overhead console -inc: dual bins, front map reading lights Side window demisters
- Tilt steering column

Exterior

- 11R22.5G (14PR) Goodyear G661 HSA front tires
- 22.5 x 7.5 10-hole hub piloted steel disc front & rear wheels powder coated white w/(5) hand holes
- (2) tail lights w/integral stop, turn, backup & license plate
- 11R22.5G (14PR) Goodyear G661 HSA rear tires- 5-roof marker & clearance lights
- Chrome grille -inc: chrome headlight bezels Conventional steel Ford cab
- Dual bright head west coast style 7.5" x 16.5" side-view mirrors -inc: 8" stainless steel aux convex mirrors
- Exterior rear door mounted assist handle Fixed rear window
- Frame mounted tilting hood & front fender assembly w/torsion assist -inc: integral noise, inner splash shields & flash guards
- Full width chrome plated steel front bumper (0.1875" thick)
- Laminated windshield w/solar tint on all windows
- Rectangular halogen sealed beam headlights -inc: front side marker lights w/reflectors
- Stemco rear wheel seals Oil lubricated
- Two-speed intermittent windshield wipers w/washers

Safety

- (2) passenger HD cloth seat -inc: 70% bench, folding intermediate back, integral outboard headrest, arm rest w/cupholders
- Black two-spoke 15.5" PVC steering wheel w/cruise control switches Cruise control
- Driver high back HD cloth bucket seat -inc: 30% width, integral headrest, reclining back, arm rest, fixed track w/fore/aft adjust
- Dual vinyl covered sunvisors w/passenger mirror
- HD cloth 60/40 full width rear bench -inc: flip-up cushion
- Manual air conditioning -inc: integral heater & defroster Pwr door locks- Pwr windows
- (2) auxiliary pwr points
- (4) body builder switches -inc: mounted in center I/P, connector access in engine compartment, 10 amps per switch
- Air registers -inc: positive shut-off, chrome trim Black vinyl full floor covering
- Color-coordinated coat hooks (LH & RH)
- Color-coordinated door trim w/soft arm rest, grab handle, reflector, vinyl insert & map pocket w/carpet
- Color-coordinated instrument panel- Color-coordinated molded cloth headliner
- Color-coordinated scuff plates- Cup holder- Glove box
- Instrumentation -inc: speedometer, oil pressure, coolant temp, DEF gauge, fuel gauge, tachometer, indicator lights, trip odometer, distance-to-empty, average fuel economy, warning messages
- Interior A-pillar mounted grab handle Multifunction self canceling turn signal switch
- Overhead console -inc: dual bins, front map reading lights Side window demisters
- Tilt steering column

Mechanical

- (2) Inside rail frame mounted tow hooks 6.7L Cummins ISB 200 I6 diesel engine
- 8500lb Cap. (Meritor MFS-08-153B) I-beam front axle -inc: Ross TAS-40 integral pwr steering & 15.5" steering wheel
- Allison 2500RDS wide ratio 6-speed automatic transmission w/double OD & 4th generation controls -inc: synthetic oil, filter, PTO gear
- Front & rear hydraulic pwr disc brakes w/Quadraulic split system, 4-channel anti-lock brakes
- (10) gallon urea tank- 12-volt Delco Remy 38MT type 300 starting motor
- 12-volt, 185-amp Leece-Neville brushless alternator
- 12.64 sm, 50000 psi straight C channel frame
- 17500lb Dana S17-140 single reduction single-speed rear axle -inc: Gentech quiet gears, 190 wheel ends, synthetic lube

- 18500lb vari-rate multi-leaf rear springs -inc: 4500lb auxiliary rubber springs
- 717 sg in cross-flow aluminum radiator w/313 sg in charge air cooler
- 8500lb parabolic taper-leaf front springs -inc: double acting shock absorbers
- Body builder wiring at back of cab at frame
- Borg Warner SA75 viscous screw-on type fan clutch
- DDSA type rear axle mounted 12" x 3" parking brake w/Orscheln control
- Dana SPL100 driveshaft- Donaldson single element air cleaner -inc: restriction indicator
- Double acting front shock absorbers
- Dual 625 CCA 12-volt Motorcraft batteries under RH cab step
- Extended life anti-freeze coolant
- Fleetguard FS19557 fuel & water separator w/electric type heater & primer pump
- Front Stemco wheel seals- Gold Eagle cold weather anti-gel diesel fuel additive
- Rear Stemco wheel seals- Rear wheel drive- SAE blade type fuses
- Single horizontal SCR assembly
- Single horizontal exhaust system w/long horizontal tail pipe -inc: diesel particulate filter assembly, right side frame mounted back of cab, exit behind right side rear wheels

King of Cars and Trucks

King of Cars and Trucks

View this car on our website at njtruckking.com/6838281

Website: njtruckking.com

Phone: 856-693-3181

Map: 1229 Broadway, Westville, New Jersey 08093

