njtruckking.com 856-693-3181 1229 Broadway Westville, New Jersey 08093

2012 CHEVROLET EXPRESS 3500 CUTAWAY UTILITY VAN ONE OWNER

View this car on our website at njtruckking.com/6898806/ebrochure





Our Price **\$24,900**

Specifications:

Year: 2012

VIN: 1GB0G2CA9C1139316

Make: CHEVROLET EXPRESS 3500

Model/Trim: CUTAWAY UTILITY VAN ONE OWNER

Condition: Pre-Owned

Exterior: White

Engine: ENGINE, VORTEC 4.8L V8 SFI

Interior: Gray
Mileage: 94,110

Drivetrain: Rear Wheel Drive

BUY IT NOW

THIS SERVICE UTILITY VAN WILL NOT LAST LONG

2012 CHEVROLET EXPRESS 3500 SRW

4.8L V8 GAS

READY TO WORK!

ONE OWNER/OPERATOR

CLEAN CARFAX!

AUTOMATIC TRANSMISSION

(ONLY 94,110 ORIGINAL / ACTUAL MILES)

EQUIPTMENT/TOOL SHELVING

TOOL BOXES WITH SHELVING

EXCELLENT TIRES

ALWAYS SERVICED AND DETAILED

RUNS AND DRIVES EXCELLENT AND TIGHT!


A LOT OF TRUCK FOR THE MONEY!

DONT MISS IT!

BUY IT NOW

\$24,900

CALL / TEXT AARON 856-693-9370 WITH ANY QUESTIONS



2012 CHEVROLET EXPRESS 3500 CUTAWAY UTILITY VAN ONE OWNER
King of Cars and Trucks - 856-693-3181 - View this car on our website atnjtruckking.com/6898806/ebrochure

Installed Options

Interior

- Air conditioning, single-zone manual
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Seating arrangement, driver and front passenger highback bucket includes head restraints and vinyl or cloth trim
- Seats, front bucket with vinyl trim and outboard head restraints includes inboard armrests (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Assist handle, front passenger- Cup holders, 3 on the engine console cover
- Defogger, side windows
- Driver Information Center includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Floor covering, Black rubberized-vinyl front- Headliner, cloth, over driver and passenger
- Heater and defogger with front and side window defoggers
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Lighting, interior with dome light and door handle-activated switches Oil life monitor
- Theft-deterrent system, vehicle, PASS-Key III
- Visors, driver and front passenger, cloth, padded
- Warning tones, headlamp on and key-in-ignition

Exterior

- Tires, front LT245/75R16E all-season, blackwall (Requires CG33503 model. Not available with (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included on CG33503, CG33803 and CG33903 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Requires CG33503 model. Not available with (R05) dual rear wheel configuration. Jack and spare tire equipment bracket are not included on CG33503, CG33803 and CG33903 models.)
- Wheels 16" x 6.5" (40.6 cm x 16.5 cm) steel (Only available with (R04) single rear wheel configuration.)
- Bumper, front painted Black with step-pad (Not available with (ZR7) Appearance Package

Option Packages

Factory Installed Packages

ENGINE, VORTEC 4.8L V8 SFI (280 hp [208.8 kW] @ 5200 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm)

- or (YE1) HV Package.)
- Flasher, heavy duty light emitting diode (LED), formerly known as SEO (8H9)
- Glass, Solar-Ray light-tinted, all windows
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- License plate kit, front
- Mirrors, outside delete (Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.)
- Wheel configuration, rear, single (Included and only available with CG33503 with (C4M) 9900 lbs. (4491 kg) GVWR.)
- Wipers, front intermittent wet-arm with pulse washers

Safety

- Air conditioning, single-zone manual
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Seating arrangement, driver and front passenger highback bucket includes head restraints and vinyl or cloth trim
- Seats, front bucket with vinyl trim and outboard head restraints includes inboard armrests (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Assist handle, front passenger- Cup holders, 3 on the engine console cover
- Defogger, side windows
- Driver Information Center includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders.
 Compass and outside temperature available if equipped.
- Floor covering, Black rubberized-vinyl front- Headliner, cloth, over driver and passenger
- Heater and defogger with front and side window defoggers
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Lighting, interior with dome light and door handle-activated switches Oil life monitor
- Theft-deterrent system, vehicle, PASS-Key III
- Visors, driver and front passenger, cloth, padded
- Warning tones, headlamp on and key-in-ignition

Mechanical

- Tow/haul mode selector, instrument panel-mounted
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Alternator, 145 amps
- Battery, 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Body, standard- Brakes, 4-wheel antilock, 4-wheel disc
- Engine, Vortec 4.8L V8 SFI (280 hp [208.8 kW] @ 5200 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (Standard on the CG33503 and CG33803 models. With CG33503 requires (C4M) 9900 lbs. (4490 kg) GVWR or (C7A) 10,000 lbs. (4536 kg) GVWR. With CG33803 model requires (C7A) 10,000 lbs. (4536 kg) GVWR. Available with (ANC) Shuttle Package on CG33503 model. Not available on the CG33903 model. Not available with (YF1) RV Package, (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ANC) Shuttle Bus Package or (ENC) HVAC system auxiliary rear heat provisions on CG33803 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Exhaust, aluminized stainless-steel muffler and tailpipe- Frame, ladder-type
- Fuel tank capacity, mid-frame and approximately 33 gallons (124.9L)
- GVWR, 9900 lbs. (4490 kg) (Standard on the CG33503 model. Requires (R04) single rear wheel configuration. Not available with (R05) dual rear wheel configuration. Reference the Engine/Axle page for availability.)
- Incomplete vehicle certification
- Rear axle, 3.42 ratio (Included and only available with CG33503 model and (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI engine and (C4M) 9900 lbs. (4490 kg) GVWR.)
- Rear wheel drive Steering, power
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Transmission oil cooler, external