

2015 GMC G3500 SRW WALK-IN SERVICE UTILITY VAN 6.0L V8 ONLY 82K MILE WOW

View this car on our website at njtruckking.com/6996311/ebrochure



Our Price **\$29,900**

Specifications:

Year:	2015
VIN:	1GD072CGXF1223421
Make:	GMC G3500 SRW WALK-IN
Model/Trim:	SERVICE UTILITY VAN 6.0L V8 ONLY 82K MILE WOW
Condition:	Pre-Owned
Exterior:	White
Engine:	ENGINE, VORTEC 6.0L V8
Interior:	Gray
Mileage:	82,208
Drivetrain:	Rear Wheel Drive

2015 GMC G3500 SRW

6.0L V8 GAS

READY TO WORK !

AUTOMATIC TRANSMISSION

(ONLY 82,208 ORIGINAL / ACTUAL MILES)

SUPREME ALUMINUM / FIBERGLASS BODY

REAR DOORS WALK-IN ACCESS

EXTERIOR LOCKING UTILITY STORAGE

TRAILER BRAKE CONTROLLER

ALWAYS SERVICED AND DETAILED

RUNS AND DRIVES EXCELLENT

NEWER TIRES

LADDER RACK

DONT MISS IT!

BUY IT NOW

\$29,900

CALL / TEXT ROB 856-381-6621 WITH ANY QUESTIONS

2015 GMC G3500 SRW WALK-IN SERVICE UTILITY VAN 6.0L V8 ONLY 82K MILE WOW
King of Cars and Trucks - 856-693-3181 - View this car on our website at njtruckking.com/6996311/ebrochure

Our Location :



2015 GMC G3500 SRW WALK-IN SERVICE UTILITY VAN 6.0L V8 ONLY 82K MILE WOW
King of Cars and Trucks - 856-693-3181 - View this car on our website at njtruckking.com/6996311/ebrochure

Installed Options

Interior

- Air conditioning, single-zone manual- Power outlet, 120-volt
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Seating arrangement, driver and front passenger highback bucket includes head restraints and vinyl or cloth trim (Not available with (AJ3) driver-side only frontal air bag.)
- Seats, front bucket with vinyl trim and outboard head restraints includes inboard armrests (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Assist handle, front passenger- Cup holders, 3 on the engine console cover
- Defogger, side windows
- Driver Information Center includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders.
- Floor covering, Black rubberized-vinyl front- Headliner, cloth, over driver and passenger
- Heater and defogger with front and side window defoggers
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Lighting, interior with dome light and door handle-activated switches - Oil life monitor
- Theft-deterrent system, vehicle, PASS-Key III
- Visors, driver and front passenger, cloth, padded
- Warning tones, headlamp on and key-in-ignition

Exterior

- Tires, front LT245/75R16E all-season, blackwall (Included and only available with TG33503 and (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR. Jack and spare tire equipment bracket are not included.)
- Tires, rear LT245/75R16E all-season, blackwall (Included and only available with TG33503 and (C4M) 9900 lbs. (4490 kg.) GVWR or (JFF) 10,100 lbs. (4581 kg.) GVWR. Jack and spare tire equipment bracket are not included.)

Option Packages

Factory Installed Packages

ENGINE, VORTEC 6.0L V8 (342 hp [255.0 kW] @ 5400 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm)	\$995
Option Packages Total	\$995

- Wheels 16" x 6.5" (40.6 cm x 16.5 cm) steel (Only available with (R04) single rear wheel configuration.)
- Bumper, front painted Black with step-pad (Deleted when (ZR7) Chrome Appearance Package is ordered.)
- Flasher, heavy duty light emitting diode (LED), formerly known as SEO (8H9)
- Glass, Solar-Ray light-tinted, all windows
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- License plate kit, front
- Mirrors, outside delete (Not available with (5Q7) Upfitter option Blank Sail Panel Delete when ordered with (YF2) Ambulance Package.)
- Wheel configuration, rear, single (Standard on TG33503 model. Available on TG33803 model. Not available with (9N2) 10,050 lbs. (4559 kg.) or (C7N) 12,300 lbs. (5579 kg.) GVWR.)
- Wipers, front intermittent wet-arm with pulse washers

Safety

- Air conditioning, single-zone manual- Power outlet, 120-volt
- Power outlets 2 auxiliary on engine console cover with covers, 12-volt
- Seating arrangement, driver and front passenger highback bucket includes head restraints and vinyl or cloth trim (Not available with (AJ3) driver-side only frontal air bag.)
- Seats, front bucket with vinyl trim and outboard head restraints includes inboard armrests (Requires (**W) trim. Not available with SEO (ZP0) delete driver and passenger seats.)
- Assist handle, front passenger- Cup holders, 3 on the engine console cover
- Defogger, side windows
- Driver Information Center includes fuel range, average speed, oil life, fuel used, ice warning, engine hours, average fuel economy, tachometer and maintenance reminders.
- Floor covering, Black rubberized-vinyl front- Headliner, cloth, over driver and passenger
- Heater and defogger with front and side window defoggers
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Lighting, interior with dome light and door handle-activated switches - Oil life monitor
- Theft-deterrent system, vehicle, PASS-Key III
- Visors, driver and front passenger, cloth, padded
- Warning tones, headlamp on and key-in-ignition

Mechanical

- Engine, Vortec 4.8L V8 SFI (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N-m] @ 4600 rpm) (Standard on the TG33503 and TG33803 models. With TG33503 requires (C4M) 9900 lbs. (4490 kg) GVWR or (9N2) 10,050 lbs. (4559 kg) GVWR. With TG33803 model requires (9N2) 10,050 lbs. (4559 kg) GVWR or (JFF) 10,100 lbs (4581 kg) GVWR. Not available on the TG33903 model. Not available with (ANC) Shuttle Bus Package or (C7N) 12,300 lbs. (5579 kg) GVWR. Not available with (ENC) HVAC system auxiliary rear heat provisions on TG33803 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Alternator, 145 amps
- Battery, 600 cold-cranking amps maintenance-free with rundown protection and retained accessory power
- Body, standard- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe- Frame, ladder-type
- Fuel tank capacity, mid-frame and approximately 33 gallons (124.9L)
- GVWR, 9900 lbs. (4490 kg) (Standard on the TG33503 model. Available on the TG33803 model. Requires (R04) single rear wheel configuration. Not available with (R05) dual rear wheel configuration. Reference the Engine/Axle page for availability.)
- Incomplete vehicle certification
- Rear axle, 3.42 ratio (Requires TG33503 or TG33803 model and (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI engine and (C4M) 9900 lbs. (4490 kg) GVWR or (JFF) 10,100 lbs. (4581 kg) GVWR.)
- Rear wheel drive- Steering, power
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Transmission oil cooler, external

Westville, New Jersey 08093

© 2024 AutoRevo - All rights reserved. - Powered by AutoRevo