



2018 Chevrolet 5500HD LCF Diesel Base

Our Price \$0

View this vehicle on our website at parksdeals.com

Parks Chevrolet, Inc.

833-825-2763

615 NC-66 South, Kernersville, NC 27284

Photos

Details

Contact



Specifications:

Year:

2018

VIN:	JALEEJ163J7900012
Make:	Chevrolet
Stock:	FK8688A
Model/Trim:	5500HD LCF Diesel Base
Condition:	Pre-Owned
Body:	Pickup Truck
Exterior:	White
Engine:	ENGINE, DIESEL 5.2L 4 CYLINDER
Interior:	Dark Pewter Cloth
Mileage:	50,515
Drivetrain:	Rear Wheel Drive

Vehicle Description

1/5 TRUCK SHOP
DS

contacted truck shop and kj for completion 2/3

Installed Options

Interior

- Seat, front high back bucket driver and passenger tricoat cloth covered reclining highback driver seat with single two occupant fold down passenger seat
- Seat trim, Cloth- Door locks, power- Cruise control, electronic, automatic- Cup holders
- Floor mats- Steering wheel, urethane- Steering wheel, tilt and telescopic
- Driver Information Center, (DIC) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The DIC provides fuel economy reporting by average, instant, and trip.)
- Windows, power
- Windshield washer bottle access on passenger side dash when passenger-side door is open
- Storage, door pockets- Lighting, interior dome- Storage, seatback pockets

Exterior

- Wheels, 19.5" x 6", K steel - Tires, front, 225/70R19.5 F 125/123 L BW HWY VAR1
- Tires, rear, 225/70R19.5 F 125/123 L BW HWY VAR1 - Assist steps- Glass, tinted
- Mirror, outside left hand and right hand dual cab mounted exterior with integral convex mirror
- Windshield wiper, pulse, wet arm

Safety

- Seat, front high back bucket driver and passenger tricoat cloth covered reclining highback driver seat with single two occupant fold down passenger seat
- Seat trim, Cloth- Door locks, power- Cruise control, electronic, automatic- Cup holders
- Floor mats- Steering wheel, urethane- Steering wheel, tilt and telescopic
- Driver Information Center, (DIC) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The DIC provides fuel economy reporting by average, instant, and trip.)
- Windows, power
- Windshield washer bottle access on passenger side dash when passenger-side door is open
- Storage, door pockets- Lighting, interior dome- Storage, seatback pockets

Mechanical

- Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode.
- Engine, Diesel 5.2L 4 cylinder 215 hp [160.3 kW] @2500 rpm, 452 lb-ft of torque [612.8 Nm] @ 1850-2750 rpm (Governed). 16 valve, four cycle, chaindriven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected
- Rear axle, 5.12 ratio
- Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
- Drivetrain, rear-wheel drive
- Battery, dual 750 cold-cranking amps, 12 volt, maintenance free- Alternator, 140 amps
- Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 44,000 psi, section modulus 11.89 cu.in. and RBM 523,160 lb-ft/in per rail.
- Incomplete vehicle certification- Wheelbase, 176" (447.0 cm)
- GVWR, 17,950 lbs. (8142 kg)- Front suspension, 8,440 lbs. (3828 kg) tapered leaf
- Rear Suspension, 14,550 lbs. (6599 kg)
- Front axle, 6,830 lbs. (3098 kg), reverse Elliot "I"-beam includes integral hydraulic power steering. ratio 18.8-20.9:1
- Rear axle, 14,550 lbs. (6600 kg)- Vehicle Application Truck
- Brakes, 4-wheel antilock, front disc, rear drum, dual circuit, vacuum assisted hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission-mounted parking brake. Non-asbestos semi-metallic linings are standard. 4 channel anti-lock brake system.
- Exhaust brake
- Fuel tank, 30 Gallon, (113L), rectangular fuel tank. mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill
- Exhaust, single horizontal outlet

Option Packages

Factory Installed Packages

ENGINE, DIESEL 5.2L 4 CYLINDER

215 hp [160.3 kW] @2500 rpm, 452 lb-ft of torque [612.8 Nm] @ 1850-2750 rpm (Governed). 16 valve, four cycle, chaindriven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected

Parks Chevrolet, Inc.

Parks Chevrolet, Inc.

View this car on our website at parksdeals.com/7016639

Website: parksdeals.com

Phone: [833-825-2763](tel:833-825-2763)

Map: [615 NC-66 South, Kernersville, NC 27284](#)

