


## 2019 Chevrolet Silverado MD Work Truck

View this car on our website at [trucksinlouisiana.com/7170646/ebrochure](http://trucksinlouisiana.com/7170646/ebrochure)



Our Price **\$41,990**

Retail Value **\$51,695**

### Specifications:

<b>Year:</b>	2019
<b>VIN:</b>	1HTKHPVH8KH607991
<b>Make:</b>	Chevrolet
<b>Model/Trim:</b>	Silverado MD Work Truck
<b>Condition:</b>	Pre-Owned
<b>Body:</b>	Pickup Truck
<b>Exterior:</b>	White
<b>Engine:</b>	ENGINE, DURAMAX 6.6L TURBO-DIESEL V8, B20-DIESEL COMPATIBLE
<b>Interior:</b>	Gray
<b>Mileage:</b>	197,800
<b>Drivetrain:</b>	Rear Wheel Drive

**DURAMAX DIESEL**

**11FT FLAT BED**

**NEW TIRES**

**15000 GVWR**

**199" WHEELBASE**

You are looking at a 2019 Chevrolet Silverado 4500HD Crew Cab . It is powered with a 6.6L Duramax Diesel V8 and an Allison automatic transmission. It is equipped with am/fm/radio, power windows, power locks, power mirrors, tilt, cruise, gooseneck hitch, and receiver hitch Also included is the

interior. Also included is the owners manuals and one keyless remote.

The interior of this truck is in good shape for the miles. The seats are in good shape. The floor is in good shape.

Everything appears to function properly. It was not smoked in.

The exterior of this truck is in good shape. There are some normal flaws for a higher mileage truck, but nothing significant . If you are a serious buyer please call us and we will give you a walk around to make sure it meets your expectations. The windshield is in good shape.

Mechanically this truck starts right up and runs good. The transmission shifts smooth. The a/c blows ice cold. The front end is tight . The tires are NEW.

#### NADA VALUES

LOAN           \$42,420

RETAIL       \$51,695

This truck is located @ 13359 Miller Rd. Walker, LA 70785

Exit I-12 at the Walker Rd. Exit 15

If you have any questions

about this truck or would like to receive a Carfax, please call one of our

Sales Representatives @ 225-445-5381 or 225-326-2639

VISIT [WWW.TRUCKSINLOUISIANA.C](http://WWW.TRUCKSINLOUISIANA.C)

It is the customer's responsibility to inspect the truck before agreement to purchase. Upon agreement to purchase, there is a \$500 deposit due within 48 hours. The deposit is non refundable unless a major issue was not disclosed by the seller. The remaining balance is due via cash, cashiers check, or bank wire within 5 days. If you need help with shipping call PJ @ All States Auto Transport: 1-866-342-1082, or 1-712-898-5727. There is also a mandatory \$195 Documentation charge.

At our dealership we work very hard to accurately describe our vehicles through text descriptions and elaborate photos. When you purchase a pre-owned vehicle it is not a new vehicle. Any used vehicle can have normal wear and blemishes. Before placing a bid please read the descriptions thoroughly, view

all pictures and call one of our sales representatives for a complete walk a round description of the vehicle. All vehicles are sold as is no warranty.

2019 Chevrolet Silverado MD Work Truck

Boardwalk Motorcars LLC - 225-326-2639 - View this car on our website at [trucksinlouisiana.com/7170646/ebrochure](https://trucksinlouisiana.com/7170646/ebrochure)

### Vehicle History Report : as Of 05/27/2023



**2019 CHEVROLET SILVERADO MEDIUM DUTY**

- Damage reported
- 5 Service history records
- At least 1 open recall
- 1 CARFAX 1-Owner vehicle
- Last owned in Louisiana
- 146,350 Last reported odometer reading




**FREE CARFAX Report**

See the full CARFAX Report for additional information

\*carfax Snapshot is a reflection of available information on the date the report was pulled. carfax is constantly being updated with new information and is subject to change at any time.

### Our Location :



2019 Chevrolet Silverado MD Work Truck

Boardwalk Motorcars LLC - 225-326-2639 - View this car on our website at [trucksinlouisiana.com/7170646/ebrochure](https://trucksinlouisiana.com/7170646/ebrochure)

### Installed Options

#### Interior

- Air conditioning, single-zone- Assist handle, front passenger and driver on A-pillars
- Cruise control, steering wheel-mounted- Door locks, power
- Driver Information Center, 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Interior trim, Jet Black/Dark Ash (Required and only available with (H2Q/H2R) Dark Ash seats with Jet Black interior accents.)
- Mirror, inside rearview manual day/night- Seat Belt, Black- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether)

anchor)

- Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar.
- Speedometer, miles/kilometers- Steering column, manual Tilt-Wheel
- Steering wheel, urethane- Visors, driver and front passenger, vinyl

## Exterior

- Antenna, fixed mast- Assist steps- Bumper, front, Black- Door handles, Black
- Front fender extension, mold-in-color Black (Not available with (FNP) Body color front fender extension.)
- Glass, solar absorbing, tinted
- Grille guard screen, insect protection (mounted behind grille)
- Grille, base, molded in color, Black- Headlamps, halogen projector-beam
- Lamps, Smoked Amber roof marker
- Lamps, cargo area, cab mounted with switch on center switch bank
- Lamps, rear, stop/turn/backup (1-piece assembly) with license plate light
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Spare tire delete
- Tail lamp provisions, located outside of frame (Will be installed with (F0C) 49" axle to end of frame and wheelbase (F0T, ED9, ER2, ED5, FNV or EM1) and rear mechanical suspension (FU7, GR3 or GR4). Will be required with (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear air suspension (GP1, GP8 or G40). Will be required with (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear mechanical suspension (FU7, GR3 or GR4) and (JL1) trailer brake controller. Will be required with (F0K) 91" axle to end of frame and (FPN) 231" wheelbase. Will be required with (F0I) 75" axle to end of frame and wheelbase (ED5, EQB, ER2 or FRP) and (JL1) trailer brake controller. Will be required with (F0G) 83" axle to end of frame, (FBC) 243" wheelbase and (JL1) trailer brake controller.)
- Tires, front 225/70R19.5G highway blackwall Hankook Max Axle Load: 7,940 lbs.
- Tires, rear 225/70R19.5G highway blackwall Hankook Max Axle Load: 15,000 lbs.
- Wheel, spare delete- Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted
- Windows, power with driver express up and down and express down on all other windows

## Safety

- Air conditioning, single-zone- Assist handle, front passenger and driver on A-pillars
- Cruise control, steering wheel-mounted- Door locks, power
- Driver Information Center, 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Interior trim, Jet Black/Dark Ash (Required and only available with (H2Q/H2R) Dark Ash seats with Jet Black interior accents.)
- Mirror, inside rearview manual day/night- Seat Belt, Black- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar.
- Speedometer, miles/kilometers- Steering column, manual Tilt-Wheel
- Steering wheel, urethane- Visors, driver and front passenger, vinyl

## Mechanical

- Alternator, 150 amps- Axle lubricant, rear, synthetic oil EmGard FE -75W-90
- Axle to End of Frame, 49" (Requires wheelbase (EM1) 199" or (FNV) 175". Not available with (G40), (GP1) or (GP8) rear air suspension.)
- Axle, limited slip, Dana Spicer Truetrac, torque proportioning limited slip
- Batteries, heavy-duty dual 1100 cold-cranking amps, includes battery box mounted to left side under cab
- Brakes, hydraulic, heavy duty Bosch/Meritor/Wabco system with 4-channel (ABS) (Includes (J69) driveline park brake.)
- Capped Fuel Fill- Emissions, USA 50 State certified
- Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible 350 hp @ 2700 rpm, 700 lb-ft torque @ 1600 rpm
- Exhaust system, rear exit
- Front axle, 7,000 lbs., Dana Spicer D800-N, "I"-beam, non-driving (Requires (FK6) 7,000 lb. (3,175 kg) front suspension.)
- Front suspension, 7,000 lbs. (3,175 kg) multi-leaf, includes shock absorbers
- Fuel tank, rear only, 40 gallon, mounted between frame side rails and behind rear axle
- Fuel, diesel B20
- GVWR, 16,500 lbs. (7484 kg) (Silverado 4500HD Requires (FTA) 7,000 lb. front axle/(FK6) suspension and (FN1) 10,000 lb. rear axle and (GR3) 11,000 lb. rear suspension or (G40) 12,000 lb. rear air suspension, or (FTA) 7,000 lb. front axle/(FK6) suspension and (FU7) 15,500 lb. rear suspension or (GP8) 15,500 lb. rear air suspension and (HD1) 15,000 lb. rear axle, or (FTA) 7,000 lb. front axle/(FK6) suspension and (G40) 12,000 lb. rear air suspension or (GP1) 13,500 lb. rear air suspension or (GR3) 11,000 lb. rear suspension or (GR4) 13,500 lb. rear suspension and (GL4) 11,000 lb. rear axle. Not available with rear air suspension when ordered with (FQT) 141" wheelbase.)
- Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700HS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Highway Series, 19.5K GVW & 26K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K (Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs. GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Requires (R6G) 26,000 lb. GCWR (11,793 kg).)
- Incomplete vehicle
- Rear axle, 10,000 lb. (4,536 kg) Dana Spicer S14-110, single reduction

- Rear axle, 4.10 ratio Max road speed: 79 MPH (Not available with Allison 1750 transmission with 30,000 GCWR rating (MJ0), (MI0), (MHV), (ME0).)
- Rear suspension, 11,000 (4,990 kg) multi-leaf, vari-rate (Not available with air suspension.)
- Rear wheel drive- Steering, power (Bosch S2 8014 Plus)
- Transmission shift control calibration, fuel sense Performance
- Wheelbase, 175" (444.5 cm), 60" CA (Requires (FOC) 49" axle to end of frame. Not available with (G40) 12,000lbs., (GP1) 13,500 lbs. or (GP8) 15,500 lbs. rear air suspension.)

---

Boardwalk Motorcars LLC

[trucksinlouisiana.com](http://trucksinlouisiana.com)

225-326-2639

13359 Miller Rd

Walker, LA 70785

© 2023 AutoRevo - All rights reserved. - Powered by AutoRevo